

# Mercedes-Benz

STANDARD SERVICE EQUIPMENT PROGRAM
5775 Enterprise Drive
Warren, MI 48092-3463
PHONE 1.888.458.4040 • FAX 586.578.7205

# Accessory Cables for MT in Star Diagnosis System





Mercedes-Benz

STANDARD SERVICE EQUIPMENT PROGRAM
PHONE 1.888.458.4040
FAX 1.586.578.7205







#### 334-HCA218

◆ Injector Adapter

**Use:** To get a RPM signal from the injectors, if access to ignition signals is difficult

\$114<sup>00</sup>



#### 334-HDS02

- ◆ Pressure / Vacuum Sensor
- Pressure Range: 0 to 7.0 Bar
- ◆ Vacuum Range: 0 to 1000 hPa (0 to 1000 millibar)

**Use:** For pressure / vacuum measurements, fuel or air.

\$1,755°°



Not included in package due to limited use/application

#### 334-HKAB028

◆ Adapter Cable to standard M-B 9-pin diagnostic socket

Use: Quick check of all important standard signals.

\$285<sup>00</sup>



#### 334-HKR015

◆ Current Clamp

**Use:** For current measurement up to 500A in multimeter mode and in various engine test modes (e.g. dynamic compression test ...)

\$595<sup>00</sup>





#### 334-HKR027

- ◆ Adapter, BNC to 2x banana jacks for secondary adapter
- ◆ Use with 334-HSLT005

**Use:** For secondary sensors on Bosch & May/Christe Ignition Coils (M 104/111)

\$36<sup>67</sup>



Included in package 334-HP1

#### 334-HKR028

◆ Adapter Cable, flat plug (6.3 mm) to banana jack

**Use:** For kV sensor 334-HSLT010/5 (ME 1.0)

\$36<sup>67</sup>



#### 334-HKR033

◆ Pick-up Clamp

**Use:** Trigger clamp for RPM measurement

\$343<sup>00</sup>



### 334-HKR035

Connecting Cable for sensors

**Use:** For simultaneous connection of current clamp, pressure sensor, and pick-up clamp

\$435°°





#### 334-HKR043

- ♦ kV Clamp #1
- ◆ 2 required for HFM engines

**Use:** For measuring secondary voltage at ignition cables

\$39200



#### 334-HKR044

◆ kV Clamp #2 with 2x cinch jacks

**Use:** For measuring secondary voltage with 334-HKR043

\$329<sup>00</sup>



Not included in package due to limited use/application

#### 334-HKR045

◆ Connecting Cable, kV clamp #1/kV clamp #2 (40 cm) (shown)

Use: Use with 334-HKR044

\$65<sup>00</sup>

#### 334-HKR046

◆ Connecting Cable, kV clamp #1/kV clamp #2 (120 cm) (not shown)

Use: Use with 334-HKR044

\$**76**<sup>67</sup>



334-HKR045 & 334-HKR046 Not included in package due to limited use/application

#### 334-HKR047

 Scope Cable "A" (included in SDS "Roll Boy" and SDS with MT)

**Use:** Universal oscilloscope, channels A1 to A6

\$408<sup>00</sup>



Not included in package due to limited use/application



#### 334-HPAL028

Primary Connecting Cable;
 Application: M 104/111 (HFM)

**Use:** For measuring the primary ignition voltage at one cylinder

\$169<sup>00</sup>



#### 334-HPAL029

◆ Primary Adapter Cable; Application: ME 1.0

**Use:** For measuring the primary ignition voltage. This adapter cable can also be used on engines M112/M113

\$124<sup>00</sup>



#### 334-HSLT005

 Secondary Adapter; Application: Bosch & May/Christe M 104/111 (HFM)

**Use:** For tapping secondary signals on Bosch & May/Christe ignition coils

\$322<sup>00</sup>



Included in package 334-HP1

## 334-HSLT010/5

♦ kV Sensor (package of 5); Application: ME 1.0 and 2.0

Use: Use with 334-HKR028

\$117<sup>00</sup>





# **Order Form**

Phone: 1.888.458.4040 Fax: 586.578.7205

BILL TO:		<b>SHIP TO:</b>			
Dealer Name:		Name:			
	State:				
	State.				
Dealer Contact:		Phone No:			
	ORDERING I	NFORMATION			
PART NUMBER	DESCRIPTION		оту.	PRICE EACH	TOTAL
334-HP1	<b>Complete Accessory Package</b>			2,883.00	
334-HCA218*	Injector Adapter			114.00	
334-HDS02	Pressure / Vacuum Sensor			1,755.00	
334-HKAB028*	Adapter Cable to 9-pin diagnostic soc	ket		285.00	
334-HKR015*	Current Clamp			595.00	
334-HKR027*	Adapter, BNC to 2x banana jacks for secondary adapter			36.67	
334-HKR028*	Adapter Cable, 6.3 flat plug to banana jack			36.67	
334-HKR033*	Pick-up Clamp			343.00	
334-HKR035*	Connecting Cable for sensors			435.00	
334-HKR043*	kV Clamp #1 (2 in package HP1)			392.00	
334-HKR044	kV Clamp #2 with 2x cinch jacks			329.00	
334-HKR045	Connecting Cable, kV Clamp #1 and kV Clamp #2 (40 cm)			65.00	
334-HKR046	Connecting Cable, kV Clamp #1 and kV Clamp #2 (120 cm)			76.67	
334-HKR047	Scope Cable "A" (included in basic system)			408.00	
334-HPAL028*	Primary Connecting Cable, engine M 104/111 HFM			169.00	
334-HPAL029*	Primary Adapter Cable, engine ME 1.0			124.00	
334-HSLT005*	Secondary Adapter M 111/104 HFM			322.00	
334-HSLT010/5*	kV Sensor (package of 5)			117.00	
*Included in Complete	Accessory Package			TAX	
BILLING T	TERMS: Master@ard	AMERICAN DISCOVE	₹	TOTAL	
□ Financing					
9	ed □ MasterCard □ VISA	Card Number			
	□ American Express □ Disc				
Authorized Sign				e:	
	s. Installation Charges will be billed when ar		~ ~ ~ ~		

By signing above, Retailer accepts all terms and conditions of sale, which are contained within the Mercedes-Benz USA, Inc. Standard Service Equipment Program Catalog. Prices subject to change without notice.